

KÄLTEPRÜFSTROM VON BATTERIEN ENTSPRECHEND VERSCHIEDENER NORMEN

SAE	EN	IEC	DIN
155	145	100	90
200	180	130	110
250	230	160	140
300	280	195	170
350	330	225	200
400	360	260	225
450	420	290	255
500	480	325	280
550	520	355	310
600	540	390	335
650	600	420	365
700	640	450	395
750	680	485	420
800	760	515	450
850	790	550	480
900	860	580	505
950	900	615	535
1000	940	645	560
1050	1000	680	590
1100	1040	710	620
1150	1080	745	645
1200	1150	775	675
1250	1170	810	700
1300	1220	840	730
1350	1270	870	760
1400	1320	905	790
1450	1360	935	815
1500	1410	975	820
1540	1450	1000	870

JIS	SAE
26A17	225
26A19	201
28A19	248
32A19	294
26B17	225
28B17	246
34B17	279
28B19	247
34B19	272
36B20	274
38B20	332
46B24	325
50B24	390
55B24	433
32C24	238
50D20	306
55D23	356
65D23	420
70D23	490
75D23	520
48D26	278
55D26	348
65D26	413
75D26	490
80D26	582
65D31	389
75D31	447
95D31	622
95E41	512
105E41	577
115E41	651
130E41	799
115F51	638
145F51	780
150F51	916
170F51	1045
145G51	754
165G51	933
180G51	1090
195G51	1146
190H52	924
245H52	1532

NOVITEC

NOVITEC GmbH
 Alsbachstraße 15
 D-66115 Saarbrücken
 Tel.: +49 (681) 992740
 Fax: +49 (681) 817877
 E-Mail: info@novitec.de
 Internet: www.novitec.de